

# **The Denton Flyer**

Newsletter of EAA Chapter 661, Denton, TX



Volume 3, Issue 11

#### September 2024

El Presidente Numero Uno Minister of Information Minister of Finance Director of Youthful Enthusiasm Membership Czar Cyber Czar Janet Patton Mark Cohen Stormy Weathers Scott Wiederhold Harper Carr Heather Fahle Craig O'Rourke

#### janetpatton737@gmail.com tx.cohen@gmail.com flynwx@pobox.com wiederh@gmail.com harpercarr@gmail.com hfahle13@gmail.com orourke.craig@gmail.com

## **Next Meeting:**

Our next meeting will be at the regular time and place, the first Saturday of the month, <u>7 September</u> at 1200. Please join us in Classroom Bravo in the US Aviation facility at 4850 Spartan Drive, on the field at KDTO.

Do you remember the discussions of the Coffin Races last spring? The event is sponsored by the City of Denton. It involves grown adults who should know better building gravity powered "cars" that roll down hill with one or two occupants. We dismissed the project last year because registration for the event seemed to fill up even before it opened. You can't fight city hall, not even on line. So, we buried our plans to build a coffin vehicle.

At the next meeting, we plan to resurrect those plans, or should I say "exhume" them. What has changed, you ask? We see more opportunity for such a project. Even if we can't make it through the virtual dash and grab to get a ticket into the race, we will have opportunity to put our spiffy contraption on display. We can draw attention to our EAA chapter and show the world how clever and handy we are. The September meeting will be a planning session to set the concept, begin design, and start planning the fabrication. See "Coffin Races" below for more details.

## Last Meeting:

During our last meeting, we reviewed the After-Action Report from the trek to AirVenture. Despite dire predictions, it was NOT an episode of "Death by PowerPoint." Slides and photos were limited. Moreover, no kinetic art was purchased. So, we spared ourselves the embarrassment of explaining the appeal of a metallic chicken that bobs its head when the wind blows.

## Around the Patch at KDTO

There are some things happening around the airfield. Here are some highlights:

#### **Runway closures:**

At the time of this writing, the west runway is to be closed on Sunday, 18 August and will reopen at 0600 on Monday, 19 August. This event should have come and gone before you receive this issue of The Denton Flyer.

Also, in the same missive from the Airport Staff, they note the closure of the main runway (18L-36R) has been extended "due to weather impacts and unforeseen project conditions." It may reopen as early as Saturday, 24 August. Again, this may be in the history books before you receive your copy of the "Flyer." However, keep an eye out for closures in late September for pavement striping. If you have any questions, please contact the Denton Enterprise Airport office at 940-349-7739. As always, check the NOTAMs for the most up-to-date information.

#### **Food Truck Friday:**

Starting August 9 through the fall, Denton Enterprise Airport is bringing a variety of food trucks to the terminal parking lot every other Friday. From 11:00 AM to 1:00 PM, enjoy a rotating selection of local food trucks offering a diverse range of tasty options. The first three dates were 9 and 23 August. The next one is in just a few days on 6 September.

### **The Denton Flyer**

#### Hallo-wing

This is KDTO's "signature family event," according to an email sent out by the airport staff. Think "Halloween and aviation" rolled into one party. It will be on Saturday, 12 October from 1000 to 1400 on the Sheltair Ramp.

There will be trick-or-treating from plane to plane. Think of it as "trunk-or-treat" with wings. They are planning to have bounce houses and outdoor games, food trucks, and aircraft on display.

Speaking of aircraft on display, they are looking for people willing to display their aircraft. If you are interested or have questions, they can be reached at *airport@cityofdenton.com*. This is also where we think we can roll out the gravity powered "E-Racer."

## Coffin Races and the EAA Chapter 661 "E-Racer"

by Stormy Weathers

Think back to March 2023 when everyone thought it was a good idea to build a car to enter into the City of Denton's "Coffin Races?" As noted above, that didn't happen because we couldn't get a 'bib' for the race. As happens about this time every year, October is almost upon us. Don't worry. I do not plan to walk you through those tedious velocity calculations again. Suffice it to say, it's supposed to roll down hill with one or two otherwise intelligent adults aboard. It must be steerable, and it must have brakes. Everything else is window dressing.

Think for a minute or two about what you think such a contraption should look like, what material it might be made from, and what spiffy features might we incorporate. Make some notes and sketches if it helps. Then, bring those to the meeting and contribute to the process. Remember, a camel is a horse that was designed by committee. You know what they say. "Many hands make light work – and an interesting poker game."

## My Teetertotter is Broken

#### by Stormy Weathers

As we have noted, there are a number of myths that we learned about airplanes as we learned to fly. I'd like to address another one of them. Let's talk about weight and balance. Engineers like to call this 'mass properties,' but it has nothing to do with going to church. Do you remember the teetertotter on the school playground? If you put the big kid on one end and the little kid on the other end, it doesn't work. They can't go up and down until the big kid scooches

toward the middle and the whole thing comes into balance. Sometimes, you can put two little kids on one end to balance out the big kid. During pilot training, they used the teetertotter to explain weights, arms, and moments. In order



for the thing to work, the moments have to be balanced even if the weights aren't. The center of gravity (CG) needs to be at the fulcrum of the teetertotter.

Armed with that concept, we learned to add the weights of everything on the plane: fuel, oil, bags, people, even the empty weight of the airplane to get the gross weight. The purpose was to ensure the gross weight was less than or equal to the maximum allowable gross weight. With that exercise complete, we learned to determine the moment of each of those weights by multiplying the weight times the arm, or distance from the datum. When we added all the moments and divided by the gross weight, we got the CG of the loaded airplane. There is a forward limit and an aft limit to where the CG is allowed to be. We checked the result to ensure the CG was "in the envelope." That envelope is really an area on a graph that defines the acceptable combinations of weight and CG. For many airplanes, the CG limits change as the weight changes. Next, you needed to ensure that the CG would remain in the envelope for the duration of the flight. For many training aircraft, this is a no brainer. If the CG is in the box at takeoff, it will remain in the box all day. However, there are some more complex aircraft where the movement of the CG throughout the mission is not so intuitive.

For some military aircraft, consideration must be made for what happens when the airplane fires or releases weapons, or "stores." The release of a bomb or an external fuel tank results in an immediate change in weight and CG. For this reason, the military operators must compute the weight and CG



at takeoff, at landing (typically at 'zero fuel'), and at the 'worst-case condition.' That may impose operational restrictions on what weapons can be employed and when. That can all lead to a fascinating application of some fifth-grade math. Nevertheless, we seldom have to address such complexities in our calculations for our little airplanes. We never release or fire anything in flight - at least not on purpose. Moreover, in most general aviation aircraft, the CG moves either forward or aft with the consumption of fuel. Still, the next time you do a weight and balance computation, take a moment (no pun intended) and determine the CG in the zerofuel condition. I'll bet it will still be between the forward and aft limits, but will it be where you expected it to be? Some electronic flight bags (EFB), such as Foreflight, will calculate your weight and CG at landing. However, for some aircraft, it might make sense to calculate the CG with zero fuel. If any fuel is required to maintain the CG in the envelope, it is serving as ballast and cannot be considered as useable fuel.

What happens if you find yourself in command of an aircraft in flight with a CG that is not within the prescribed limits? To paraphrase John King in one of the King School videos on the subject, "Congratulations! You are a test pilot, whether you want to be or not." After deciding where on your flight suit you're going to put the applicable patch, you are going to have to figure out how to fly the airplane in its current configuration. This is where the teetertotter myth fails us. Too many aviators and

maintainers believe that an airplane with an out-ofrange CG will simply tend to tilt in the applicable direction, like the teetertotter: An aft CG will make the airplane tilt nose up, and a forward CG will make the airplane tilt nose down. However, that is not how it works in flight. To be sure, those CG limits are real and should be respected with due reverence, but let's take a look at what makes them so pertinent. To begin, let me introduce a term that is not often thrown around in the bar at the officers' club, the "neutral point." You already know that the CG is a point on the aircraft where the moments of the weights in each direction are equal, so the aircraft effectively pivots about the CG as if suspended at that point. The neutral point is similar but has to do with the planform area of the aircraft. To better understand this, let's look at an example.

Go back to the bar in the O club and look at one of the darts in the dart board. The only significant areas on the dart are the tail feathers. That means the neutral point of the dart is very near the tail end. Now, consider the location of the CG of the dart. It is easy to determine that the weight attached to the front, along with that pointy thing, makes the CG very near the front of the dart. A dart wants to do nothing but hurl through the air in a straight line because the CG is well ahead of the neutral point. The tail feathers keep the pointy end at the front, ready to impale the bullseye on the dart board. You want the pointy end of your airplane to always point into the relative wind, but you also hope to be able to maneuver as you see fit. You won't be able to wheel and soar high in the sunlit silence if you can't pitch or turn or deviate from a straight line. The forward limit is important. Someone took the time to figure out just how far forward the CG could be before it begins to affect the controllability of the plane. Maybe you won't have the pitch authority to raise the nose on takeoff. If that happens, your airplane has just become a high-speed tricycle. For you taildragger pilots, OK, it's a backward high-speed tricycle.

Now let's look at the aft limit. What would happen to that dart if some foolhardy drunkard put the tail feathers on the wrong end? What if the weight is not way up at the front? In short, what happens if the CG ends up behind the neutral point? The pointy end will no longer want to point into the wind. However, before you reach that extreme condition in your airplane, there is another more subtle but still less than desirable effect that will become discernable. Notably, your airplane is blessed with speed stability. If perturbed from a state of equilibrium, i.e. "trimmed up" where your aircraft is at a particular pitch attitude and steady airspeed, the aircraft will find its way back to that state. This is no happy accident. There are unseen forces at work to achieve this wonderful characteristic. There is a downward 'lift' on the horizontal stabilizer trying to pitch the nose up. At the same time, there is a comparable force trying to pitch the nose down, namely the CG is forward of the lift vector of the wing. A change in airspeed results in a change in the load on the horizontal stabilizer. It decreases if the airspeed



decreases. That allows the nose to drop and the airspeed to increase. If the speed increases, the load on the horizontal stab increases, raising the nose and decreasing the airspeed. As the CG moves aft, the balancing load on the horizontal stab must be decreased to keep everything trimmed out. With a lighter load on the stab, changes in airspeed will have less effect. Therefore, as the CG moves aft, the speed stability becomes less stable. The aircraft becomes less inclined to return to the trimmed condition. With further aft movement, the speed can become unstable. A perturbation in pitch causes the aircraft to want to fall off in the direction of the perturbation. It may still be controllable but will require some skills to keep it where you want it to be. Think of balancing a yard stick on your nose. It can be done, but it requires active concentration, not to mention a degree of agility.

The forward and aft limits of the CG envelope are important. We all learned that concept in ground school, along with the procedures for determining the location of the CG. Armed with a better understanding of why they are important, perhaps you will look at the depiction of the CG envelope in your Pilot's Operating Handbook with deeper appreciation for what machinations and mastications were involved in the creation of that particular piece of sausage. At the same time, you may find grace in the fact that we need only compute the CG location on the longitudinal axis. Some aircraft require CG computations for all three axes. Even worse, for the F-111 pictured above, the CG had to be computed both for the aircraft and for the crew escape capsule, six axes in total. We can consider ourselves fortunate that we have only the one axis to worry about. Just a note, though. If you are on your first solo crosscountry flight and you notice the airplane has a tendency to roll left, think about the CG and the lateral axis before you write up the flight controls for being out of rig. Just sayin'.

#### **National Aviation Day Proclamation**

by Stormy Weathers

August 19<sup>th</sup> was National Aviation Day. Did you know? Did you miss it? This was established in 1939 by President Franklin Delano Roosevelt. He chose Orville Wright's

Orville Wright's birthday as a day of recognition for the achievement and to encourage interest in aviation. In honor of this day, the mayor of Denton issued a proclamation at the City Council Meeting on 6 August, and your EAA Chapter 661 was represented by El Presidente Janet and Director Harper.



## The Denton Flyer

